EXPERIMENTS

From the "Student's Manual", HUMAN-80, "Microcomputer Version of A Mathematical Model of the Human Body in Health, Disease and During Treatment". Thomas G. Coleman and James E. Randal, April, 1981. Modified for use with web-HUMAN. Manual material is the property of Drs. Coleman & Randal and may be reproduced for educational purposes only.

EXPERIMENT #3. TRANSFUSION

Blood volume expansion leads to increased cardiac output. We can simulate transfusion by specifying the volume of blood to be given (TRNVOL) in ml, the time over which the transfusion is given (TRNMIN) in minutes, and the hematocrit of the transfused blood (TRNHCT).

Study the effects of rapid administration of 1 liter of blood. What mechanisms are involved in the flow increase? Quantitate the contributions of heart strength, right atrial pressure, mean circulatory filling pressure, and total peripheral resistance.

		BEFORE	AFTER	% CHANGE
Blood volume	BV			
Cardiac output	CO			
Mean Circ. Filling Press	MCFP			
Right Atrial Pressure	RAP			
Right Heart Strength	RHS			
Left Atrial Pressure	LAP			
Left Heart Strength	LHS			
Pulse (beats/min)	PULSE			

Which factors tended to increase cardiac output? Which factors opposed the increase?

Extra: Study the renal response to transfusion and identify the factors leading to an increased salt and water excretion.

Extra	: On	e hou	ır af	ter	trai	nsf	usio	n, wh	nat	fra	cti	on	of	the	ad	ded
plasma	a vol	ıme i	s in	the o	circ	ula	ation	?		용.	Wh	nat	fr	acti	on	has
been e											the	in	ter	stit	ium	1?
	용.	What	frac	tion	is	in	the	cells	s?		9	.				

Notes on the Use of HUMAN-80 Student Manual Experiments in web-HUMAN

Essentially all HUMAN-80 experiments run *perfectly* in *web*-HUMAN. Nevertheless, those using the HUMAN-80 experiments with the current *web*-HUMAN model should be aware of certain minor compatibility issues and limitations.

What is HUMAN–80?: There have been multiple past versions of the HUMAN model of which web-HUMAN and HUMAN–80 are but two. Human–80 was a version of the HUMAN model designed to run on desktop PC's. Although both versions of the model behave virtually identically *physiologically*, they obviously differ vastly in how the user interacts with them. This means that those parts of a HUMAN-80 experiment instruction sheet that are user-interface specific are not necessarily fully compatible with web-HUMAN.

Adapting HUMAN–80 Manual experiments to *web*-HUMAN: Essentially all HUMAN-80 experiments run *perfectly* in *web*-HUMAN. Just follow Dr. Randall's instructions step by step.

- wherever possible the text of these exercises has been <u>edited or annotated</u> to increase compatibility of the instructions with *web*-HUMAN. Thus references to commands that differ between the two versions have been updated either by editing or by indication with a commented superscripted symbol (* or #).
- <u>experiment numbers</u> in HUMAN-80 *DO NOT MATCH* those in those in *web*-HUMAN. To create your own tabular output format simply load web-HUMAN experiment #1 and follow Dr. Randall's instructions using View output: to create your own data tables.
- users should note that HUMAN-80 had <u>no graphic output</u>, only tables. In *web*-HUMAN you can choose to graph by simply selecting <graph> instead of just <text> below each variable in the View output: table.
- HUMAN-80 instructions sometimes ask for users to look at <u>more than six variables</u>. To do so simply rerun the experiment with the additional variables displayed or use the <View Variable> option to obtain a value for a variable that is not in the tables.